



EDIC INNOVATION IN CARPET AND FLOOR CARE



EDIC

1753 Blake Avenue
Los Angeles, CA 90031-1006
USA

Telephone: (323) 660-1635
Toll-free: (800) 338-3342
Fax: (323) 667-0144
Email: sales@edic-usa.com
Website: www.edic-usa.com

September 2008

TABLE OF CONTENTS

NEW PRODUCTS

Endeavor	4
Revolution	5

Portable Extraction Cleaning Machines

Self-Contained Extractors

FiveStar	6
Comet	7
Polaris	8
Supernova	10

Box Extractors

Bravo Spotter	11
Galaxy	12
Galaxy Pro	13
Galaxy 5	14

Extraction Machine Accessories

Powermate	15
Wands, Carpet Tools & Attachments	16
Aviator Axial Fan	18
Aqua Dri Carpet Dryer	19
External Heater/Bazooka Gum Remover/Circuit Locator	20

Auto Detailing Equipment & Accessories

Galaxy Automotive	21
Galaxy 5	22
Bravo Spotter/Aqua Dri	23
Auto Accessories/Dynamo Wet/Dry Vacuum	24

Vacuums

Backpack Vacuums

Atlas 6 & 10 Quart	25
Backpack Accessories & Tools	26

Canister Vacuums - Dry Only

Dynamo 6 & 9 Quart Canisters	30
------------------------------	----

Canister Vacuums - Wet/Dry

Dynamo 5 & 8 Gallon	32
Dynamo 12 & 20 Gallon	33

Upright Vacuums

Reliant	34
---------	----

Automatic Scrubbers/Grout Restoration

Pilot	35
-------	----

Floor Machines and Accessories


Burnishers	36
Dual Speed	37
Low Speed	38
Floor Machines Accessories	39

Spare Parts and Supplies

Brass Fittings, Spray Tips, etc.	40
----------------------------------	----

Rental Program

Rental Equipment/Chemicals	43
----------------------------	----





ENDEAVOR

The all-new Endeavor is a high-performance, dual-vac, multi-purpose extractor engineered to help you clean more efficiently than ever. It has a number of breakthrough features, starting with an innovative design that allows one operator to load or unload the unit into a truck or van without a ramp. The key to this design is a set of casters mounted up near the handle complemented by ramps built right into the mold, so you can literally roll the machine into your vehicle. It also has an auto-fill, auto-dump design which eliminates workflow interruption. For power matched by versatility, the dual-vac Endeavor has the most versatile dual-pump system on the market, allowing you to clean upholstery, carpet or hard floor surfaces. It can be used as a 250 psi heated carpet extractor or a 1200 psi tile and grout machine without heat. When it comes time for routine maintenance, you'll really appreciate the remarkably well-organized and uncluttered layout of its interior components. That means easy access for no-hassle servicing. Its long list of thoughtfully designed features includes a spinner/wand holder to save you a trip to your vehicle, recessed power cord receptacles, dual-wheeled casters for easy maneuverability, a low easy-pour solution tank opening, a 250psi pump that can be adjusted down to as low 20 psi for upholstery cleaning, a double-wall motor compartment for quiet operation, along with an overall design that places the weight of the machine over the back wheels to give you good leverage to turn, transport and load the Endeavor with ease!

FEATURES

- Multi-purpose extractor that can clean both hard surface & carpet.
- Easy one-person loading and unloading. Handle mounted casters and dolly style weight distribution eliminates the need for a ramp!
- 5 gallon bucket fits on the recovery lid to reduce trips to and from the vehicle.
- Dual-wheel casters provide excellent maneuverability.
- 12" non-marking, soft rear wheels protect fittings from being damaged during transport.
- Combination wand / spinner holder on the front of the machine for easy transport or storage.
- Conveniently located switches and controls, along with a built-in circuit locator.

OPTIONAL ACCESSORIES

1200REV	Revolution 12" hard surface tool
2540AC-HPC	25' hose set with cool cuff
9540AC-AD	Auto-fill / auto-dump hose assembly
1034ACH	12" Dual-jet stainless steel carpet wand
1039AC	Stainless steel detailer tool
9000AC	Spray gun, touch-less bathroom cleaning tool

SPECIFICATIONS

Capacity - 13 Gallon
Tank Construction - Rotationally Molded Polyethylene
Tile & Grout Pump - 1200 PSI, Adjustable (500-1200), Self-priming
Carpet Pump - 250 PSI, Adjustable (20-250)
Vacuum Motors - Dual 2-Stage, parallel
CFM - 200
Heater - 2000W Internal
Rear Wheels - 12"
Casters - 4" Dual-wheel
Auto Fill - Float Style
Auto Dump - 3.5 GPM
Intake - 1.5" Cool Cuffs
Power Cord - Dual 50' Detachable
Dimensions - 22.5"W x 33"L x 42.5"H
Weight - 175 lbs

WARRANTY


Industry-leading limited lifetime warranty. 2 years on parts and labor, lifetime on the housing

MODELS

9000I Multi-purpose extractor, 200CFM, 1200 PSI (adj.) / 200 PSI (adj.)
Machine only, all tools sold separately.

REVOLUTION

The all-new Revolution is a tile and grout-cleaning tool that provides remarkably smooth operation, gliding easily over the floor for less operator fatigue. It has a lightweight design – only 13 lbs! – yet it's engineered for outstanding durability. It works on uneven surfaces like grouted tile or smooth surfaces such as concrete, and can be used with truckmounts or portables. The Revolution's handle folds to 180 degrees so you can clean under a counter or overhang as low as 6 inches. For exceptionally convenient operation, it has a 90-degree inlet swivel that rotates 360 degrees, which always keeps the hose out of the way even when you're cleaning alongside a wall. It's also loaded with innovative features designed to help you clean more quickly and efficiently, including: An inline filter that catches dirt before it has a chance to clog tips – it works great even with machines that don't have good filtration. An easy-pull trigger with safety. Recovery hoses located in the center of the head for better suction, allowing you to clean along edges without hitting hoses. Comfortable and ergonomic hand grips. A conveniently located vacuum relief mounted in the handle so you can easily adjust air flow without bending over. A stainless steel handle for long-term durability. A high quality ceramic swivel that's repairable. And a T-style handle that allows side- to-side as well as front-to-back operation.



FEATURES

- 90-degree inlet swivel rotates 360 degrees – always keeping the hose out of the way even when cleaning alongside a wall.
- Comfortable and ergonomic hand grips.
- Inline filter catches dirt before it has a chance to clog tips – works great even with machines that don't have good filtration.
- Easy pull trigger with safety.
- Conveniently located vacuum relief is mounted in the handle so you can easily adjust air flow without bending over.
- Stainless steel handle.
- Recovery hoses located in the center of the head for better suction – allowing you to clean along edges without hitting hoses.
- Highest quality ceramic swivel is repairable.

MODEL

1200REV 12" revolution hard surface tool, repairable ceramic swivel, 1.5"



SPECIFICATIONS

Diameter	12"
Repairable Swivel	Yes
Maximum PSI	2500
Intake Diameter	1.5"
Trigger Safety	Yes
Weight	13 Lbs.

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



FIVESTAR

The amazing FiveStar is a small, self-contained unit with powerful brush agitation to clean carpets, hard floors and grouted tile. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for fast service. The FiveStar is small enough to clean tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design allows you to fill and empty out of the same bucket and eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning. No more spills or mess!



Fold-down handle for easy storage and transport

SPECIFICATIONS

Solution Tank	3 gallon
Lift-off Recovery Tank	3 gallon
Solution Pressure	50 psi
Vacuum Motor	112 CFM, 2 HP
Water Lift	107"
Brush Motor	1/6 HP
Brush Speed	2,500 RPM
Brush Style	Chevron design, 4 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Ship Dimensions	28"H x 26"L x 15"W
Electrical Draw	12 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Full complement of optional accessories attaches to back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for easy storage.
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy.
- See-through recovery dome.
- Side extension for cleaning right to baseboards.
- Upright-mounted motor and intercooler system combine for long-lasting operation.

OPTIONAL ACCESSORIES

- 330AC 10" Single-jet stainless steel wand
- 357AC Upholstery tool, vacuum and solution hose assembly and hose bag
- 341AC 8' vacuum and solution hose assembly
- 341AC-15 15' vacuum and solution hose assembly

For our full line of optional accessories (1½" diameter), see pages 14-17.

MODELS

- 401TR FiveStar, carpet cleaner only
- 411TR FiveStar, all floor unit—carpet, hard floor and grouted tile

COMET

The Comet is a small, economical, self-contained unit with powerful brush agitation to clean carpets. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for fast service. The Comet is small enough to clean in tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning.

No more spills or mess! The single on-off switch is designed for operation simplicity.

FEATURES

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for compact storage.
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy.
- See-through recovery dome.
- Side extension for cleaning right to baseboards.
- Upright mounted motor and intercooler system combine for long-lasting operation.

OPTIONAL ACCESSORIES

- 330AC 10" single-jet stainless steel wand
- 357AC Upholstery tool, vacuum and solution hose assembly and hose bag
- 341AC 8' vacuum and solution hose assembly
- 341AC-15 15' vacuum and solution hose assembly

For our full line of optional accessories (1½" diameter), see pages 14-17.

MODEL

- 419TR Comet carpet cleaner

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



SPECIFICATIONS

Solution Tank	3 gallon
Lift-off Recovery Tank	3 gallon
Solution Pressure	50 psi
Vacuum Motor	92 CFM
Water Lift	85"
Brush Motor	1/12 HP
Brush Speed	2500 RPM
Brush Style	Chevron design, 3 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Ship Dimensions	28"H x 26"L x 15"W
Electrical Draw	12 amps

POLARIS 500PS, 700PS, 701PS

These self-contained workhorses combine remarkable ease of operation with unbeatable performance and portability to deliver consistent results in light speed!

The Polaris is big enough to tackle large rooms and hallways and is available with a full complement of accessories giving it maximum versatility to clean upholstery, stairs and other hard to reach places. A lift-off recovery bucket makes emptying quick and easy without the need for a drain hose. Special features including the patented 4-wheel design, adjustable handle and lightweight construction allow easy transportation and unparalleled balance and maneuverability.

Clamshell design provides easy internal access for fast service



SPECIFICATIONS

Solution Tank	5 gallon/7 gallon
Solution Pressure	50 psi (500 & 700) 100 psi (701)
Vac Motor	112 CFM, 2 HP, 136" lift
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	14/17 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft. (500) 50 ft. detachable (700/701)
Dimensions	
500PS	39"H x 30"L x 14"W
700/701PS	39"H x 30"L x 17"W
Weight	68/78 lbs.
Shipping Weight	95/103 lbs.
Ship Dimensions	42"H x 34"L x 21"W
Electrical Draw	14/14/15 amps

FEATURES

- Patented 4-wheel design makes turning in tight places easy and balances total weight, even full of water, for easy maneuvering.
- Lift-off recovery bucket—no drain hose.
- Patented self-adjusting, self-leveling brush and vacuum shoe combine for superior cleaning of all carpet lengths and uneven floors.
- Fully adjustable handle for greater operator ease, increased leverage on stairs and over curbs plus compact storage.
- Side extension for cleaning right to baseboards (700/701).
- Upright-mounted vacuum plus intercooler system extends motor life.
- See-through recovery dome.

OPTIONAL ACCESSORIES

1204AC	Powermate—12" wide power brush
D02359-1	Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag
323AC	Prespray wand
1033AC	Single-jet wand
1034AC	Dual-jet wand
1041AC	15 ft. vac and solution hose assembly with adapter plate

For our full line of optional accessories (1½" diameter), see pages 13-18.

MODELS

500PS	5-gallon Polaris/14" wide/50 psi
700PS	7-gallon Polaris/17" wide/50 psi
701PS	7-gallon Polaris/17" wide/100 psi

WARRANTY

Lifetime on rotationally-molded housing,
2 years on parts and labor

POLARIS 801PS, 1201PS

For wide open spaces where productivity is the bottom line, the 800 and 1200 models clean quickly and efficiently. These larger self-contained units come equipped with dual vacuums to more thoroughly clean and dry carpets. The Polaris has a built-in silencer so you can clean without interrupting the workflow. Top quality construction, remarkable ease of operation and versatility combine for a machine that consistently outperforms the competition. Dual lift-off recovery buckets with no hose



Quick-fit accessories

to detach allow easy emptying. Maintenance is a breeze as well—just remove two screws and open like a clamshell for quick internal access.

New optional valve allows you to adjust the performance of the machine for regular maintenance or heavy-duty restorative cleaning.

FEATURES

- Large wheels, adjustable handle and lightweight construction team up for easy handling and storage.
- Optional accessories quickly attach to the rear of machine for cleaning stairs, upholstery, etc.
- Patented dual lift-off recovery buckets provide quick and convenient emptying.
- Patented four-wheel design for balance and reduced turning radius.
- High speed brush motor and brush guarantee powerful agitation to release deeply embedded soil and grit, extending carpet life.
- Patented brush system utilizes fully sealed stainless steel ball bearings for years of trouble-free operation.

OPTIONAL ACCESSORIES

1204AC	Powermate—12" wide power brush
D02359-1	Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag
323AC	Prespray wand
1033AC	Single-jet wand
1034AC	Dual-jet wand
1041AC	15 ft. vac and solution hose assembly with adapter plate

For our full line of optional accessories (1½" diameter), see pages 13-18.

MODELS

801PS	8-gallon Polaris/19" wide/100 psi
1201PS	12-gallon Polaris/19" wide/100 psi

SPECIFICATIONS

Solution Tank	8/12 gallon
Solution Pressure	100 psi
Vac Motors	Dual, 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	19 inches
Tank Construction	Polyethylene
Wheels	8 inches, non-marking
Power Cord	50 ft. detachable
Dimensions	
801PS	38"H x 48"L x 19"W
1201PS	38"H x 48"L x 19"W
Weight	114/120 lbs.
Shipping Weight	131/136 lbs.
Ship Dimensions	42"H x 45"L x 25"W
Electrical Draw	15/15 amps

WARRANTY

Lifetime on rotationally-molded housing,
2 years on parts and labor



SUPERNOVA

There is literally nothing like the Supernova series—remarkable self-contained extractors that clean in both forward and reverse! The patented two-way system provides unparalleled productivity in any setting—clean up to 4,000 square feet in one hour. All models operate forward in hallways and other open areas, but with a simple pull of a lever instantly change to reverse to clean corners and other tight areas for a dramatic reduction in labor costs. A specially designed vacuum head allows cleaning on hard floors in addition to carpets, without any cumbersome attachments. Just walk off carpet on to hard floors—it's that simple. Dual vacuum motors and a 19" cleaning width on the 800 and 1200 models combine with a host of other exclusive features to guarantee unrivaled performance.



Optional accessories for versatile cleaning

SPECIFICATIONS

Solution Tank	7/8/12 gallon
Solution Pressure	50 psi
Vacuum Motor 700	112 CFM, 2 HP
Vac Motors 800/1200	Dual, 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	17/19/19 inches
Tank Construction	Polyethylene
Wheels	8 inches, non-marking
Power Cord	50 ft. detachable
Dimensions	
700	37.5"H x 31.75"L x 17"W
800/1200	38"H x 39"L x 19.25"W
Weight	87/113/123 lbs.
Shipping Weight	115/136/146 lbs.
Ship Dimensions	
700	42"H x 34"L x 21"W
800/1200	42"H x 45"L x 25"W
Electrical Draw	12.8/12.8/15 amps

FEATURES

- Two-way system for forward and reverse operation.
- Patented self-adjusting, self-leveling brush and vacuum shoes for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Exclusive "clamshell" body provides fast and easy internal access for quick servicing.
- Patented lift-off recovery buckets—no drain hose.
- Fully adjustable handle.
- Patented 4-wheel design gives extraordinary balance and reduces turning radius for easy maneuverability in tight areas.
- Side extension for cleaning right to baseboards.
- Dual spray jets on both sides of the brush suspend the soil for increased pick up and faster drying.

OPTIONAL ACCESSORIES

1204AC	Powermate—12" wide power brush
D02359-1	Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit: upholstery tool, vacuum and solution hose assembly and hose bag
323AC	Prespray wand
1033AC	Single-jet wand
1034AC	Dual-jet wand
334AC	Hard floor squeegee wand
1041AC	15 ft. vac and solution hose assembly with adapter plate

For our full line of optional accessories (1½" diameter), see pages 13-18.

MODELS

700PSN	7-gallon Supernova
800PSN	8-gallon Supernova, dual vacuum
1200PSN	12-gallon Supernova, dual vacuum

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

BRAVO SPOTTER

AVAILABLE WITH HEAT!

The new Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life.



Porthole allows easy access to recovery tank



FEATURES

- Optional in-tank heater delivers 150-degree heat. (339MH-HT)
- Unique molded-in holders carry spray bottles for greater ease.
- Large six-inch wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about.
- Quickly opens up for easy servicing and repair.
- Large porthole on recovery tank allows easy access for odor-free maintenance.


OPTIONAL ACCESSORIES

330ACS/330ACH	10" single-jet wand
334AC	10" hard-floor squeegee wand
1204AC/1204ACH	Powermate – 12" wide power brush
B00216	Power cord for Powermate
323AC/323ACH	Prespray wand
342AC	8-ft. hose assembly with quick connects
1040AC	15-ft. hose assembly
1039AC	Stainless steel upholstery tool
1037AC	Upholstery tool, durable plastic head

MODELS

319B	Bravo with economy tool (319AC)
319BH	Economy tool and transport handle
337BH	Deluxe tool and transport handle
300MH	Deluxe model with high performance motor (tools sold separately)
339MH-HT	Bravo with heat, stainless steel tool and transport handle

For our full line of optional accessories (1½" diameter), see pages 13-18.



SPECIFICATIONS

Solution Tank	3 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 psi
Vacuum Motor	2 stage, bypass
Water Lift	85" (optional 106" with high performance motor)
Handle	Adjustable, 22-37"
Wheels	6 inches
Power Cord	25 ft.
Optional Heater	1500 watts, stainless steel
Hose Assembly	8 ft.
Economy Tool	Plastic
Deluxe Tool	Long nose, stainless steel handle
High Heat Tool	Long-nose, all stainless steel
Weight	19 lbs.
Shipping Weight	27 lbs.
Dimensions	20.5"H x 15"L x 13"W
Ship Dimensions	23"H x 18"L x 15.5"W
Electrical Draw	8.5/8.5/8.5/12/12 amps
339MH-HT	15 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor
 Bravo with heat: Lifetime on rotationally-molded housing, 1 year on parts and labor

GALAXY HEAT READY!

Introducing our exclusive line-up of Galaxy carpet extractors that now comes “heat-ready.” Life’s little decisions just got a whole lot easier! You can purchase any Galaxy without heat and if you change your mind, no problem. Simply order our external heater, and away you go. Placing the heater on the outside also insures that everything on the inside of the machine runs cooler, extending the life of the vacuum and pump motors. The stainless steel heater tank is guaranteed for life. If a repair is necessary, simply lift the heater off the back of the machine. Meantime, you can continue to use the unit without heat.

From a seller’s standpoint, there’s no need to purchase both heated and non-heated units—just stock machines and heaters. Your customers can start with a non-heated model then later upgrade to heat without having to purchase a whole new machine. The “heat ready” Galaxy includes a 25-foot vacuum and solution hose assembly.

****Also Available:** Our basic contractor’s model, slightly more economical and complete with 15’ hose assembly, with or without heat. Heated model includes a 1000-watt external-mount heater and works with a single power cord.



SPECIFICATIONS

Solution Tank	12 gallon
Recovery Tank	11 gallon
Solution Pressure	100/150/200/500 psi
Vacuum Motors	Dual high-performance 2-stage and 3-stage
Water Lift	150”/185”/210”
Tank Construction	Polyethylene
Baseplate	¼” aluminum
Rear Wheels	10 inches, non-marking
Casters	4 inches
Power Cord	50 ft. detachable
Hose Assembly	25 ft.
Optional Wand	Deluxe dual-jet S-bend stainless steel
Dimensions	35”H x 31”L x 18”W
Weight	78/80/89/75/84 lbs.
Shipping Weight	94/96/105/105/91/100 lbs.
Ship Dimensions	36.5”H x 31.5”L x 19”W
Electrical Draw	14.4/14.9/15.2/16.3/16.7/17.1 amps
Dual Cord (FX)	14.7/11.8 amps per cord
2000EL/EL-EH	14.4/18.8 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES (Galaxy and Galaxy Pro)

- Exclusive heat-ready system offers the ultimate in versatility.
- External heater makes repairs a snap and keeps heat away from the motor compartment.
- New “granite look” projects an image of professionalism and keeps the machine looking brand new.
- Upright-mounted motors along with a special intercooler guarantee long life and durability.
- Standard 5-gallon bucket fits under drain valve for easy emptying.
- Opens quickly like a clamshell for easy servicing.
- Top-mounted switches.
- Sealed motor cavity insures that spills on the outside stay out.

MODELS

All come complete with 25-ft hose assembly

2000SX-HR	Dual 2-stage vacs, 150” lift, 100 psi
2000GX-HR	Dual 2-stage vacs, 150” lift, 150 psi
2000JX-HR	Dual 2-stage vacs, 150” lift, 200 psi (adj)
2000KX-HR*	Dual 2-stage vacs, 185” lift, 200 psi (adj)
2000LX-HR	Dual 2-stage vacs, 150” lift, 500 psi (adj)
2000CX-HR*	Dual 3-stage vacs, 185” lift, 500 psi (adj)
2000FX-HR	Dual 3-stage vacs, 210” lift, 500 psi (adj)
2000EL	Single 3-stage vac, 136” lift, 15’ hose assembly
2000EL-EH	Single 3-stage vac, 117” lift, 15’ hose assembly, external-mount 1000-watt heater, single power cord

*20-amp circuit required.

GALAXY PRO HEAT READY!

This is the big brother to our popular Galaxy series with a large 17-gallon capacity housed within an extremely portable unit that’s affordably priced. The “heat-ready” Galaxy Pro includes all the great features of our standard Galaxy model with the added benefits of an optional adjustable 500 psi and the ability to clean extremely large areas quickly and professionally. Versatility is the name of the game with the heat-ready system. You can purchase the machine without heat and later decide to add heat without having to buy a new unit. The external heater makes repairs a snap, and it keeps the heat away from the internal components, extending the life of the machine. All units are available “heat ready.” The Galaxy Pro comes complete with a 25-foot hose assembly and a 50-foot detachable power cord.



Optional external heater for Galaxy and Galaxy Pro



OPTIONAL ACCESSORIES (Galaxy and Galaxy Pro)

605HR	Heater kit (see page 18 for more details)
1033ACH	Single-jet stainless steel wand (specify psi)
1034ACH	Dual-jet stainless steel wand (specify psi)
334ACH	10” hard floor squeegee wand
1039AC	Stainless steel detailer tool
1204AC/ACH	Powermate—12” wide power brush (specify psi)
1800AC-100	18” Powermate, up to 150 psi
1800AC-200	18” Powermate, up to 500 psi
00206-1A	Receptacle for power wand (factory installed)
988CS	Circuit locator

For our full line of optional accessories (1½” diameter), see pages 13-18.

MODELS

All come complete with 25-ft hose assembly

2700GX-HR	Dual 2-stage vacs, 150” lift, 150 psi
2700JX-HR	Dual 2-stage vacs, 150” lift, 200 psi (adj)
2700KX-HR*	Dual 3-stage vacs, 185” lift, 200 psi (adj)
2700LX-HR	Dual 2-stage vacs, 150” lift, 500 psi
2700CX-HR*	Dual 3-stage vacs, 185” lift, 500 psi (adj)
2700FX-HR	Dual 3-stage vacs, 210” lift, 500 psi (adj) dual power cords, circuit locator included

*20-amp circuit required.

SPECIFICATIONS

Solution Tank	17 gallon
Recovery Tank	15 gallon
Solution Pressure	150/200/500 psi
Vacuum Motor	Dual high-performance 2-stage and 3-stage
Water Lift	150”/185”/210”
Optional Wand	Dual-jet or single-jet stainless steel.
Hose Assembly	25 ft.
Tank Construction	Polyethylene
Baseplate	1/4” aluminum
Rear Wheels	10 inches, non-marking
Casters	4 inches
Power Cord	50 ft. detachable
Dimensions	38”H x 31”L x 20”W
Weight	94/102/102/110/110/120 lbs.
Shipping Weight	114/122/122/130/130/140 lbs.
Ship Dimensions	40.5”H x 39”L x 21”W
Electrical Draw	14.4/14.9/15.2/16.3/16.7/17.1 amps
Dual Cord (FX)	14.7/11.8 amps per cord

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



Optional external heater

GALAXY 5 NOW AVAILABLE HEAT READY!

One look at our new compact addition to the Galaxy series and you'll realize that it is possible to have your cake and eat it too! The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The Galaxy 5 is an obvious choice for auto detailing and for those jobs where a small yet powerful unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The new optional external heater can be removed in seconds if a repair is necessary, and the stainless steel heating element is guaranteed for life.



The Galaxy 5 comes complete with a 15-foot hose assembly.

SPECIFICATIONS

Solution Tank	5 gallon
Recovery Tank	3 gallon
Solution Pressure	100 psi
Optional Heater	1000 or 2000 watts, stainless steel
Vacuum Motor	Single 3-stage
Water Lift	136"/117"
Tank Construction	Polyethylene
Baseplate	Aluminum
Rear Wheels	7 inches, non-marking
Casters	2.5 inches
Power Cord	25 ft. detachable
Hose Assembly	15 ft.
Dimensions	28"H x 24.5"L x 16"W
Weight	57 lbs.
Shipping Weight	65 lbs.
Ship Dimensions	30"H x 25.5"L x 17"W

WARRANTY

Lifetime on rotationally-molded housing,
2 years on parts and labor

FEATURES

- External heater is a snap to remove and keeps heat away from the inside of the machine for longer life.
- "No drip" motor cavity guarantees water spilled on outside of machine stays out!
- Opens quickly like a clamshell for fast and easy servicing.
- Upright-mounted motors along with a special intercooler guarantee long life and durability.
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Silencer system for quieter operation.
- Handle folds down for easy transport and compact storage.
- Optional heating system delivers consistent 170 degrees.

OPTIONAL ACCESSORIES

1204AC/1204ACH	Powermate – 12" wide power brush
B00216	Power cord for Powermate
330ACS	10" Stainless steel wand
1038AC	Crevice tool
1039AC	Stainless steel upholstery tool
323AC/323ACH	Prespray wand

MODELS

All models come complete with a 15-foot hose assembly.
500BX 3-stage vac, 100 psi, not heat ready
500BX-EHR 100 psi w/external 1000-watt heater, single power cord
500BX-HR 100 psi, heat ready

POWERMATE

1204AC

Why use a standard wand when you can get a combination of powerful brush agitation and speed in a super lightweight attachment with wheels—all at a bargain price! So lightweight and maneuverable, the Powermate will triple your productivity. No more backaches and fatigue from slow, tedious cleaning with a wand. The Powermate attaches to any portable unit to remove deeply imbedded soil and grit at record speed! A high-speed cylindrical brush gets down to the base of the carpet fibers for more effective cleaning. Available with 1½" diameter handle. Choice of standard unit up to 100 psi or high heat up to 500 psi.



FEATURES

- Weights only 15 lbs.
- See-through front cover.
- Sealed, stainless steel ball bearings.
- High-speed 2500 RPM brush for deep cleaning.
- Heavy-duty aluminum handle.
- Adapts to all EDIC extractors.

OPTIONAL ACCESSORIES

B00216	Adapter to plug Powermate into standard wall outlet
00206-1A	Receptacle, power wand (factory installed)

MODELS

1204AC	12" wide power brush, 1½" handle diameter—up to 100 psi—no heat
1204ACH	High heat—up to 500 psi
1800AC-100	18" wide power brush, 1½" handle diameter—up to 150 psi—no heat
1800AC-200	High heat—up to 500 psi

1800AC

The ultimate in speed and power for a deep down clean! Powermate 1800AC attaches to any portable or truckmount extractor for cleaning tough, dirty high-traffic areas. An 18" wide cleaning path and high-speed brush save valuable time and reduce operator fatigue. The power brush is designed to clean right up to baseboards and into corners. Its fully adjustable handle fits any size operator and the low profile makes it a breeze to get under furniture. Choice of standard unit up to 150 psi or high heat up to 500 psi.



FEATURES

- 0-90 degree adjustable handle plus fingertip controls for easy handling.
- High-speed chevron-style brush for deep cleaning.
- See-through sight glass to monitor recovery.
- Heavy-duty steel handle.
- Adapts to all EDIC extractors.
- 5 Spray tips.

SPECIFICATIONS

	1200/1800
Cleaning Width	12 inches/18 inches
Housing	Ultra high-impact ABS
Brush	Cylindrical, Tynex bristles
Brush Motor	1/12 HP, 1/6 HP
Brush Speed	2500 RPM/2100 RPM
Electrical Draw	1.0/1.25 amps
Power Cord	25 ft.
Weight	15/47 lbs.
Shipping Weight	25/54 lbs.
Ship Dimensions	
1204AC	13.5"H x 49.5"L x 18"W
1800AC	58.5"H x 21"L x 9.5"W

WARRANTY

2 years on parts and labor

GLIDEMASTER WANDS, TOOLS, HOSE ASSEMBLIES



Single or Dual-Jet Stainless Steel Wand

The Glidemaster wands allow for easy pickup under furniture and desks. The head is winged to prevent overspray and the insulated handle, valve lever and grip ensure operator comfort. The dual-jet version has an S-bend for superior pickup under all types of furniture. Dual-jets guarantee maximum pressure for fast and thorough cleaning. Standard or high-pressure models available—up to 1000 psi. 1½" diameter.

MODELS

1033AC/1033ACH Single jet: Standard/High pressure
 1034AC/1034ACH Dual jet: Standard/High pressure
 1034ACH-500 Dual jet: High pressure up to 500 psi

Width: 12"
 Length: 60"
 Weight: 7.4 lbs.
 Shipping Weight: 12 lbs.
 Ship Dimensions: 65"H x 12"L x 13"W
 Warranty: 30 days

Aluminum Squeegee Wand

Our new aluminum squeegee wand can be attached to any extractor with 1½" diameter to provide thorough cleaning of hard floor surfaces.



MODEL

334AC Single-jet squeegee wand

Width: 14.5"
 Length: 55.5"
 Weight: 5 lbs.
 Shipping Weight: 9 lbs.
 Ship Dimensions: 65"H x 12"L x 13"W

Single-Jet 9" Stainless Steel Wand

This wand is perfect for use with smaller extractors like the FiveStar. 1¼" or 1½" diameter available.



MODELS

330AC 1¼" fittings—100 psi - FiveStar/Comet
 330ACS 1½" fittings—100 psi - All other EDIC Extractors

Width: 9"
 Length: 60"
 Weight: 8 lbs.
 Shipping Weight: 11 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

Traditional Hose Assemblies

Available with choice of standard or high heat, high pressure models. Lengths from 10' - 50'. 1½" or 1¼" hose cuffs. Complete with fittings, see page 39.

Connector—Model # J00630

Allows you to quickly connect two hose assemblies together for extra length, see page 39.

Easy Mop

Bucketless Floor Cleaning System

The Easy Mop is a self-contained dispensing mop system that cleans floors, ceilings and walls with no spills, no mess. A zero-gravity trigger-action sprayer with an adjustable nozzle makes it easy to clean up the sides of walls and even ceilings, and get into corners and tight spaces. The Easy Mop is designed to work in tandem with green chemicals and requires much less chemical than a standard mop.



FEATURES

- Pressurized reservoir—cleans up to 3,200 sq. feet per filling.
- Easy-grip activator is ergonomically sound and activates solution with a slight downward movement, reducing operator fatigue.
- Non-shrinking microfiber pile mop provides increased absorbency and can be laundered over 500 times before replacement.

MODEL/ACCESSORIES

4000EM Easy Mop
 4500GG Microfiber Pad (Green/Green)
 4500GW Microfiber Pad (Green/White)



Cast aluminum with black powder-coat upholstery tool with see-through window, enclosed spray chamber, and 3-ft. pigtail. Recirculating notches decrease water build-up in spray chamber for faster drying time. High pressure available.

MODELS

321AC 1½" diameter
 321ACH High Pressure—up to 300 psi
 Width: 3.5" Length: 7"
 Weight: 1.5 lbs. Ship Wt: 3 lbs.



Durable stainless steel auto detailer tool specially designed to effectively clean in tight places. High pressure up to 1000 psi.

MODEL — 1039AC (1½" diameter)

Width: 3.5" Length: 11.5"
 Weight: 1.7 lbs. Ship Wt: 3 lbs.



The ultimate in stair cleaning, the stainless steel stair wand has a winged head, grab handle and insulated grip. High pressure up to 1000 psi.

MODEL — 1035AC (1½" diameter)

Width: 12" Length: 36"
 Weight: 4.5 lbs. Ship Wt: 7.5 lbs.



Upholstery tool with see-through window and hose assembly complete with durable hose bag.

MODELS

357AC 8 ft. hose assy., tool and hose bag, 1¼" diameter.
 358AC 15 ft. hose assy., tool & hose bag, 1½" diameter.
 Weight: 4/8.8 lbs.
 Ship Wt: 6/12 lbs.



This auto detailer has a durable plastic head to monitor recovery. Up to 100 psi.

MODEL—1037AC (1½" diameter)

Weight: 1.3 lbs. Ship Wt: 3 lbs.
 Width: 4 Length: 8"



Lightweight stainless steel stair tool is made of high quality components and built to last. High pressure up to 1000 psi.

MODEL — 1021AC (1½" diameter)

Weight: 2 lbs. Ship Wt: 3 lbs.
 Width: 4" Length: 8"



Lightweight, economy upholstery tool with a durable plastic housing. Not available for high heat. Up to 100 psi.

MODELS

319AC Tool w/8' hose assy., 1¼" diameter.
 319ACG Tool w/8' hose assy., 1½" diameter. Add D02359-1 for Polaris and Supernova models.
 319ACS Tool only, 1½" diameter.
 Width: 4" Length: 11.5"
 Weight: 2.6/2.6/1 lbs.
 Ship Wt: 5/5/3 lbs.



Stainless steel crevice tool for reaching into crevices and tight spaces for more thorough cleaning. Up to 1000 psi.

MODEL — 1038AC (1½" diameter)

Length: 17" Width 3.5"
 Weight: 3 lbs. Ship Wt: 5 lbs.



Prespray wand constructed of brass with 25' hose.

MODELS

323AC—up to 100 psi
 323ACH— High heat, high pressure
 Weight: 3 lbs. Ship Wt: 5 lbs.



AVIATOR

Axial Fan

Superior performance, design and engineering makes our new axial fan the most efficient in the industry, providing more CFM with a lower amp draw. Use our large-sized blower to tackle even the toughest water damage restoration and carpet drying jobs in a hurry. With an amazing velocity of 3000 CFM at a super-low 2.3 amps, the Aviator literally blows away the competition! The bottom line is a much faster drying time which puts more money in your pocket. A built-in GFCI outlet means you can link together multiple units using only one 15-amp circuit for the really big jobs. Plus the dual-direction airflow and choice of drying positions make it extremely versatile. The Aviator axial fan is uniquely designed with 360-degree stacking for easy loading and storage. It's lightweight with an ergonomically-designed handle and convenient cord wrap for easy transport and maneuvering. Comes complete with an hour meter to monitor usage.



Built-in GFCI outlet for linking multiple units on a single circuit



Aviator with wheels



Easy and secure 360-degree stacking of units

SPECIFICATIONS

Housing	Roto-molded polyethylene
Motor	1/4 HP
Speeds	2
Power	120 volts
Electric Draw	2.3 amps
Impeller	16.5" diameter
Stackable	Yes
Power Cord	25 ft. yellow safety cord
Weight	29 lbs.
Shipping Weight	36 lbs.
Dimensions	20.5"H x 20.5"L x 16"W
Ship Dimensions	21"H x 21"L x 16"W

WARRANTY

Lifetime on rotationally-molded housing,
2 years on parts and labor

FEATURES

- The most powerful blower in its class with a velocity of 3000 CFM.
- Built-in GFCI outlet makes it easy to daisy-chain multiple units on a single 15-amp circuit.
- Hour meter monitors usage.
- Exclusive 360-degree frame allows for easy stacking of units.
- Circuit breaker protects air mover and attached devices.
- Durable polyethylene housing in granite color that retains its brand-new appearance.
- Available in a low 2.3 amps.

MODELS

3009AF-W Aviator with wheels

AQUA DRI

(patents pending)

Portable Air Mover/Carpet Dryer

EDIC's Aqua Dri hosts a series of exclusive features that put it far ahead of the pack and make it indispensable for quick drying of carpet and hard floors. The Aqua Dri's unique body design makes it super easy to stack for storage or transport. There are two models to choose from: The standard unit offers three-speed drying with a 1/2-HP motor and 2400 CFM. The larger Aqua Dri Pro offers three-speed drying with 1/2-HP (2700 CFM) for the ultimate in power. Both models can be easily adjusted to four different positions for drying carpets, furniture, curtains, ceilings—you name it! Available with optional carpet clamp.



Accordion hose attachment for attics and other hard-to-reach places



Optional carpet clamp

FEATURES

- Exclusive hi-tech design makes it the most versatile, compact and portable air mover in the industry.
- Heavy-duty polyethylene housing with "granite" look is durable and never looks dirty.
- Balanced carry-along handle distributes weight evenly for superior portability.
- Easy to store or stack for transport.
- Thermally protected motor.

OPTIONAL ACCESSORY

13168A Accordion hose attachment
Length: 15 ft. Diameter: 10 in.

Tightening belt allows hose to attach to the nose of the Aqua Dri or other competitive air movers.

Yellow with black fabric wear strip.

WARRANTY

Lifetime on rotationally-molded housing,
2 years on parts and labor



SPECIFICATIONS 3004AD/3005AD

Housing	Polyethylene
Motor	1/2 HP/ 1/2 HP
Speeds	3
Power	2400/2700 CFM
Electrical Draw	5.0 amps
Blower Fan	9 1/2"/10 5/8" diameter
Intake Screens	Open flow design
Height Adjustment	4 positions
Stackable	Yes
Kickstand	Included
Carpet Clamp	Optional
Power Cord	25 ft.
Dimensions	
3004AD	18"H x 18 3/4"L x 17 3/8"W
3005AD	19 3/4"H x 20 5/8"L x 19 1/4"W
Weight	30/33 lbs.
Shipping Weight	33/36 lbs.
Ship Dimensions	19"H x 19"L x 18"W 21"H x 21"L x 19 1/2"W

MODELS

All models available with optional carpet clamp

3004AD	Aqua Dri, 1/2 HP, 9 1/2" fan
3005AD	Aqua Dri Pro, 1/2 HP, 10 5/8" fan
3004AD-CC	Aqua Dri, 1/2 HP, 9 1/2" fan with carpet clamp
3005AD-CC	Aqua Dri Pro, 1/2 HP, 10 5/8" fan with carpet clamp

EXTERNAL HEATER SYSTEM

A revolutionary new way to clean with heat!



SPECIFICATIONS

Pressure	Up to 1300 psi
Tank Construction	Stainless steel
Shipping Dimensions	8¼"H x 24"L x 8¼"W
Power Cord	50 ft. detachable
Electric Draw	14.2 amps

WARRANTY

Lifetime on stainless tank and rotationally-molded housing, 2 years on parts and labor

The EDIC external heater system is the only one of its kind.

- Our exclusive "heat ready" system, available on the Galaxy, Galaxy Pro, and select Galaxy 5 models, gives you the option of purchasing a machine without heat and then adding the heater at any time.
- Ours is the only detachable heater on the market that mounts on the outside, taking only seconds to attach or remove. Placing the heater on the outside has another advantage – it ensures everything on the inside of the machine runs cooler, thereby extending the life of the pump and motors.
- The stainless steel tank and heating element eliminate galvanic corrosion and clogs in the solution flow that can obstruct heat transfer.
- This system really heats up fast, delivering 210 degrees of heat in about 90 seconds. If a repair is necessary, just lift the heater off the back of the machine. It's that simple!

Our entire line of heated extractors has the heater system mounted on the outside for greater longevity and ease of repair.

MODELS

- 605HR 2000-watt heater kit for Galaxy, Galaxy Pro and selected Galaxy 5 models
- 602HR 1000-watt replacement heater for Galaxy series automotive units

THE CONVERTER



MODEL: 986CO

The Converter gives a standard carpet extractor the versatility to be used as a dry vacuum. With a simple attachment, you get the superior suction power of an extraction machine to more thoroughly remove excess dirt and soil from carpets and floors. Available for use with the Polaris, Supernova and Galaxy series. **Item #L11028 Paper Filter Bags, 6-pack.**

CIRCUIT LOCATOR



- MODEL: 988CS-** with 1 wall outlet plug and one twist-lock to fit EDIC equipment
- MODEL: 989CS-** with 2 wall outlet plugs

So you've got two power cords and you need to find outlets on different circuits? No problem! Just plug the circuit locator with an extension cord into two wall outlets – the sensor instantly lights up when it's good to go. Use it anytime for any equipment. Prevents potential power overload by taking the guesswork out of locating circuits.

BAZOOKA GUM REMOVER SYSTEM

Our patented gum removal machine lets you stand up while instantly removing spot after spot of ground-in gum, sticky candy and adhesive from carpets, hard floors and concrete. Complete with carpet brush.

MODELS

- 420AC Bazooka High torque electric with 25-foot cord
- 421AC Bazooka Cordless Battery powered

OPTIONAL BRUSHES

- F03472 Soft brush for carpet (blue)
- F03473 Professional for carpet (brown)
- F03474 Concrete brush (green)

BAZOOKA SPOT REMOVER

- Item #N00901 (aerosol)
- 100% biodegradable, organic, citrus-based solvent for use with the Bazooka.
- Case of 12, 14-oz. cans.



GALAXY AUTOMOTIVE

COMES STANDARD WITH HEAT!

Nothing beats these machines for getting at deeply imbedded dirt and grime in auto upholstery and carpet and removing it for good! The winning combination is lots of heat plus high-performance vacuums for squeaky-clean interiors and faster drying time. There are two basic models to choose from: a single-cord unit with a 3-stage vacuum or a dual-cord unit with dual 2-stage vacuums. All models come with our exclusive external heater that makes repairs a snap and keeps heat away from the motor chamber, extending the life of the internal parts. The heater can be removed in about 15 seconds if need be, and the unit cleans with or without heat. The Galaxy's hi-tech design houses a large 12 or 17-gallon tank inside a compact body for exceptional portability. Comes complete with a vacuum and solution hose assembly. Tools sold separately.



FEATURES

- 1000 watt or 2000 watt in-line external heater delivering up to 200 degrees in just 90 seconds.
- All heaters tested to 2500 psi to insure quality operation in the most severe environments.
- Durable stainless steel heating chamber and heating element.
- Exclusive external heating system for easy removal and repair.
- External heater design removes heat from the motor compartment keeping the vacuum motors and pump running cooler.
- Opens quickly like a clamshell for easy servicing.
- Powerful and lightweight – ideal for single operators.
- "No drip" motor cavity guarantees water spilled on the outside of machine stays outside and won't accumulate in the motor compartment.

OPTIONAL ACCESSORIES

- 1038AC Stainless steel crevice tool
- 1035AC Stainless steel van tool
- 1039AC Stainless steel detailer tool

MODELS

- 3100BX-EH 12 gal., 1000w heater, 15-ft. hose assy.
- 3700BX-EH 17 gal., 1000w heater, 25-ft. hose assy.
- 3000VX-EH 12 gal., 2000w heater, dual cords, 15-ft. hose assy.
- 3700VX-EH 17 gal., 2000w heater, dual cords, 25-ft. hose assy.

SPECIFICATIONS

Solution Tank	12/17 gallon
Recovery Tank	11/15 gallon
Solution Pressure	100 psi
Vacuum Motor	Single 3-stage/Dual 2-stage
Water Lift	117"/117"/150"/150"
External Heater	1000/2000 watts
Detailer Tool	Stainless steel
Hose Assembly	15 ft./25 ft.
Tank Construction	Polyethylene
Baseplate	1/4" aluminum
Rear Wheels	10 inches
Casters	4 inches
Power Cord	50 ft. detachable
Dimensions	35"H x 31"L x 18"W 38"H x 31"L x 20"W
Weight	88/90 lbs.
Shipping Weight	110/117 lbs.
Ship Dimensions	36.5"H x 31"L x 19"W 40.5"H x 39"L x 21"W
Electrical Draw	18.8/18.8 amps
Dual Cords	18/18 amps per cord

WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor



GALAXY 5

COMES STANDARD WITH HEAT!

The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The exclusive external heater design, with stainless steel heating chamber and heating element, delivers up to 170 degrees on demand. The unit can be operated on a single power cord, which gives it the versatility to be used in a variety of settings. The heater can be removed in about 15 seconds if a repair is necessary, and the stainless steel heating chamber comes with a lifetime guarantee. The Galaxy 5 is an obvious choice for auto detailing and those jobs where a small yet powerful unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The Galaxy 5 automotive unit comes complete with a 15-foot vacuum and solution hose assembly. Tools sold separately.

SPECIFICATIONS

Solution Tank	5 gallon
Recovery Tank	3 gallon
Solution Pressure	100 psi
External Heater	1000 watts
Vacuum Motor	Single 3-stage
Water Lift	117"
Tank Construction	Polyethylene
Baseplate	Aluminum
Rear Wheels	7 inches, non-marking
Casters	2.5 inches
Power Cord	25 ft. detachable
Hose Assembly	15 ft.
Weight	57 lbs.
Shipping Weight	65 lbs.
Dimensions	24.5"H x 16"L x 28"W
Ship Dimensions	25"H x 17"L x 29"W
Electric Draw	18.8 amps

FEATURES

- Single cord operation.
- Exclusive 1000-watt external heating system for on-demand heat up to 170 degrees.
- Stainless steel heating element.
- Stainless steel heating chamber with lifetime warranty.
- Opens quickly like a clamshell for easy servicing.
- "No drip" motor cavity guarantees water spilled on the outside of machine stays outside and won't accumulate in the motor compartment.
- Exclusive EZ removable heater for quick service and no down time.
- Silencer system for quiet operation.
- Heating chamber tested to 2500 psi to insure quality.
- Handle folds down for easy transport and compact storage.
- External heater design removes heat from the motor compartment keeping the internal parts cool.

OPTIONAL ACCESSORIES

1035AC	Stainless steel van tool
1038AC	Stainless steel crevice tool
1039AC	Stainless steel detailer tool

MODEL

500BX-EH	Single 3-stage vac, 1000-watt external heater, 15-foot hose assy.
----------	---

WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

BRAVO SPOTTER

WITH HEAT!

The new 17-pound Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life. The Bravo comes complete with a vacuum and solution hose assembly. Tools sold separately.



SPECIFICATIONS

Solution Tank	3 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 psi
Vacuum Motor	2 stage, bypass
Water Lift	107"
Handle	Adjustable, 22-37"
Wheels	6 inches
Power Cord	25 ft.
Heater	1500 watts, stainless steel
Hose Assembly	8 ft.
High Heat	Long-nose, fully stainless steel tool
Weight	19 lbs.
Shipping Weight	27 lbs.
Dimensions	20.5"H x 15"L x 13"W
Ship Dimensions	23"H x 15"L x 13"W
Electrical Draw	15 amps

FEATURES

- 1500 watt, in-tank heater delivers 150 degree heat.
- Unique molded-in holders carry spray bottles for greater ease.
- Stainless steel heating element.
- Large 6" wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about.
- Carry-along handle increases portability.
- Small and light enough to carry with one hand.
- Quickly opens up for easy servicing and repair.
- Large porthole on solution tank allows easy access for odor-free maintenance of recovery tank.

OPTIONAL ACCESSORIES

330ACH	Single-jet wand, 10" wide
1039AC	Stainless steel detailer tool

WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

MODEL

300MH-HT	Bravo with heat, hose assembly and transport handle
----------	---

AQUA DRI

Portable Air Mover/Carpet Dryer (patents pending)

EDIC's Aqua Dri hosts a series of exclusive features that put it far ahead of the pack and make it indispensable for quick drying of carpet and hard floors. The Aqua Dri's unique body design makes it super easy to stack for storage or transport. There are two models to choose from: The standard unit offers three-speed drying with a 1/2 HP motor and 2400 CFM. The larger Aqua Dri Pro offers three-speed drying with 1/2 HP (2700 CFM) for the ultimate in power. Both models can be easily adjusted to four different positions for drying auto interiors, carpets, furniture, curtains, ceilings—you name it!



MODELS

All models available with optional carpet clamp	
3004AD	Aqua Dri, 1/2 HP, 9 1/2" fan
3005AD	Aqua Dri Pro, 1/2 HP, 10 5/8" fan

SPECIFICATIONS

Housing	3004AD/3005AD Polyethylene
Motor	1/2 HP/ 1/2 HP
Speeds	3
Power	2400/2700 CFM
Electrical Draw	5.0 amps
Blower Fan	9 1/2"/10 5/8" diameter
Intake Screens	Open flow design
Height Adjustment	4 positions
Stackable	Yes
Kickstand	Included
Carpet Clamp	Optional
Power Cord	25 ft.
Dimensions	
3004AD	18"H x 18 3/4"L x 17 3/8"W
3005AD	19 3/4"H x 20 5/8"L x 19 1/4"W
Weight	30/33 lbs.
Shipping Weight	36 lbs
Ship Dimensions	19"H x 19"L x 18"W

ACCESSORIES



1033ACH Single-jet Wand, high pressure
1034ACH Dual-jet Wand, high pressure



1039AC Stainless Steel Detailer Tool



1038AC Stainless Steel Crevice Tool



1035AC Stainless Steel Stair Wand

DYNAMO WET/DRY VACUUM SERIES
12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



SPECIFICATIONS

Housing	Stainless steel or polyethylene
Capacity	12/20 gallon
Motor	1200w, single vac, 1.9 HP 1600w, dual vac, 2 HP
CFM	114/192
Water Lift	100/80 inches
Power Cord	33 ft.
Noise Level	63dB
Casters	3 inches
Wheels	6 inches
Dolly	Polyethylene
Tool Kit	8-piece deluxe
Filter	Washable cloth
Paper Filter	Optional
HEPA Filter	Optional on 12W
Hose	15 ft w/1.5" swivel connector
Dimensions	33"H x 19"L x 19"W 36"H x 24"L x 20"W
Weight	30/48 lbs.
Shipping Weight	50/67 lbs.
Ship Dimensions	34"H x 21"L x 21"W 39"H x 25"L x 22"W
Electrical Draw	13 amps

FEATURES

- 63dB for whisper quiet operation.
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum air flow.
- Paper filter bags available on both models plus optional HEPA filters on 12W.
- Powerful 1600-watt dual vac motors on 20W for ultimate suction.
- Two-piece metal wand along with full 1½" accessory kit included.
- 8' hose includes full 1.5" swivel connection system for easy handling and operation.
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon.

OPTIONAL ACCESSORIES

- 335AC Front-mount squeegee assembly (12-gal)
- 336AC Front-mount squeegee assembly (20-gal)
- L11824-1 Paper filter bag

MODELS

Optional HEPA filter available on 12-gallon models— add "H" to model number (12WH, 12WSH)
 12W 12-gallon poly (with 8-piece deluxe tool kit)
 12WS 12-gallon stainless steel (with 8-piece deluxe tool kit)
 20W 20-gallon poly (with 8-piece deluxe tool kit)
 20WS 20-gallon stainless steel (with 8-piece deluxe tool kit)

WARRANTY

1 year on housing, 1 year on parts and labor

ATLAS (patents pending)

After years of careful planning, our new Atlas is taking the back-pack vacuum market by storm. Feature for feature, it simply defies the competition! It's light enough for anyone to handle and the ergonomically-designed Velcro straps at the chest and hips result in a comfortable fit for virtually any sized operator. A special slide adjustment hooks the shoulder straps together for a higher range of motion. The on/off switch is at the hip level and mounted on top for unparalleled ease of operation. Our unique airflow design makes this unit quieter than most and the baffled exhaust goes out the back, away from the operator, for a higher level of comfort. The Atlas comes with our extraordinary Ultrastat™ 3-ply composite filter treated with an anti-microbial agent that provides exceptional airflow even when full, allowing for greater productivity. This exclusive bag is fitted with a durable plastic rim for an airtight seal around the top, and the seams are sonically welded (as opposed to glued). The result is higher dust retention, and a much longer filtration cycle.



FEATURES

- Longer exhaust chamber and diffused exhaust air for quiet operation.
- EDIC Ultrastat™ filters have better filtration efficiency, greater dust retention and longer useful life than Micro filter bags because Ultrastat's™ revolutionary synthetic material allows greater air flow even when the bag is full.
- 3-position hip adjustment for wider or narrower hips allows the unit to sit more comfortably on the hips.
- Ergonomically designed harness with multi-adjustable settings for optimum comfort.
- Lightweight – only 10 lbs.
- Hip-mounted switch results in easy on/off.
- Precision-molded cloth filter bag rim holds it's shape to prevent collapsing inside the unit when the bag is full.
- Optional HEPA filter available on 10-qt units.
- Available in 220-volt and in 400 cycles for the aviation industry.

MODELS

- 601TV 6-qt w/standard kit
- 602TV 6-qt w/industrial kit
- 603TV 6-qt w/mixed floor kit
- 605TV 6-qt w/turbo kit
- 606TV 6-qt w/Sidewinder kit
- 1001TV 10-qt w/standard Kit
- 1002TV 10-qt w/industrial kit
- 1003TV 10-qt w/mixed floor kit
- 1005TV 10-qt w/turbo kit
- 1006TV 10-qt w/Sidewinder kit

Aviation Vac – add "A" to the end of any 6 or 10-qt model number.
 220-Volt Vac – add "220V" to the end of any 6 or 10-qt model number.
 HEPA Filter – add "H" to the end of any 10-qt. model number.

SPECIFICATIONS 6 quart/10 quart

Watts	1150
Amps	8.5
CFM	130
Water Lift	110"
Filtration	4 stage
Decibels	65
Thermally Protected	Yes
Construction	Roto-molded polyethylene
4-ft Static dissipating hose with swivel cuffs	Included
Power cord	50 ft. detachable
5 Disposable Ultrastat™ filters	Included
Cloth Bag	Included
Dimensions	
6 Qt.	23.5"H x 8"L x 8"W
9 Qt.	25"H x 9"L x 9"W
Weight	9.8/10.8 lbs.
Ship Weight w/tools	22/23.5 lbs.
Ship Dimensions	
6 Qt.	32"H x 13"L x 13"W
9 Qt.	32"H x 13"L x 13"W

WARRANTY

Lifetime on rotationally-molded housing,
 2 years on parts and labor



STANDARD TOOL KIT

361AC Kit includes carpet tool with scallops, crevice tool, 2-pc S-bend wand, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.



MIXED FLOOR KIT

362AC Kit includes standard tool kit plus 14" floor tool with horsehair brush.



TURBO BRUSH KIT

363AC Kit includes turbo brush head, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool, and slide-on brush for upholstery tool.



SIDEWINDER KIT

364AC Kit includes 14" scalloped carpet tool, crevice tool, dust brush, 2-pc aluminum straight wand, and upholstery tool.



INDUSTRIAL KIT

365AC Kit includes combo floor tool, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.

FILTERS

The revolutionary new Ultrastat™ filters are made from a high-efficiency synthetic composite treated with an anti-microbial agent. They have greater dust retention, better filtration efficiency and a longer useful life than a standard microfilter because they provide a much lower pressure

drop and therefore better CFM for longer periods of time. The Ultrastat™ filters are more durably constructed because the seams are sonically welded, as opposed to glued, and the rim is made from a durable plastic instead of cardboard.



Cloth Filter

L12009 6-quart filter
L12010 10-quart filter



Ultrastat™ Filter

L12004 6-quart Ultrastat™ filters (set of 5)
L12006 10-quart Ultrastat™ filters (set of 5)
Case quantity: 100 filters



Dome Filter

K12019 5.7" diameter

ATLAS BACK PACK VACUUM 1.25" ACCESSORIES



G03510
10.5" turbo brush



K00700-14
11" combo floor tool



K00700-15
12" carpet tool, scalloped



K00700-16
12" bare floor tool



K00728-4
5" upholstery tool



K00704-1
Dust brush, rectangular



K00704
Dust brush, round



K12036
Floor duster



K12036-1
Replacement floor duster head



K00729-6
13" crevice tool



K00707
Adapter, 1.5" to 1.25"



K00728-4-1
Brush slide for K00728-4



D03387-1
Chrome wand, telescopic w/cord management



K00729-5
9" crevice tool



D00349-1
Curved wand handle with swivel connection



D03387
Telescopic wand, chrome

ATLAS BACK PACK VACUUM 1.5" ACCESSORIES



K00700-1
14" carpet tool, scalloped



K00700-2
14" carpet tool with easy glide brush



K00700-3
16" carpet/bare floor tool with adjustable brush



K00700-4
11" carpet/bare floor tool with adjustable brush



K00700-5
15" carpet tool, scalloped

ATLAS BACK PACK VACUUM 1.5" ACCESSORIES continued



K00700-7
14" floor tool with nylon brush



K00700-8
14" floor tool with horsehair brush



K00700-10
14" floor tool with felt



K00700-11
14" floor tool with felt, scalloped



K00700-13
20" floor tool with nylon brush



K00700-17
18" Sidewinder carpet tool



K00700-18
18" Sidewinder floor tool with nylon brush



K00700-19
18" Sidewinder floor tool with horsehair brush



K00700-20 scalloped
K00700-21 standard
18" Sidewinder floor tool with felt



K00700-26
8" Sidewinder carpet tool

K00700-22
15" Sidewinder carpet tool

K00700-23
15" Sidewinder carpet tool

K00700-25
15" Sidewinder carpet tool



K00700-27
8" Sidewinder floor tool with horsehair bristles



K00728-1
5" upholstery tool



K00728-5
5" upholstery tool, metal



K00728-1-1
Slide-on brush for K00728-1 and K00728-5



K00700-6
14" carpet tool, paddle



K00708-3
Dust brush, rectangular with swivel neck



K00708-7
Dust brush, round, metal



K00708-1
Dust brush, round



K00728-3
5" auto upholstery tool



K00729-3
28" crevice tool



K00729-2
15" crevice tool



K00729-4
9.5" crevice tool



K00714-1
Pipe cleaner, 1" to 4"




K00714-2
Pipe cleaner, 4" to 8"



J12035
Hose assy, static dissipating

ATLAS BACK PACK VACUUM 1.5" ACCESSORIES continued/SPARE PARTS



D03386-1
Aluminum wand, 2-PC



D03386-2
Wand, bulk pick up, 36"



D03386-7
S-bend wand, telescopic



D03386
Aluminum wand, 1-PC



D03386-6
Extension wand, telescopic



D03386-8
Aluminum wand, straight, 59"

D03386-10
Aluminum extension wand, 59", Sidewinder
D12909

Aluminum extension wand, 30", Sidewinder
D03386-9
Aluminum 2-pc wand, Sidewinder

REPLACEMENT PARTS



K00700-3-1
16" brush strip for K00700-3



K00700-4-1
11" brush strip for K00700-4



D03386-1-1
Threaded cap for D03386



K00700-7-1/K00700-9-1
14" nylon or horsehair brush for K00700-7 or K00700-9



K00700-10-1
14" felt blade for K00700-10



D03386-1-2
Metal ring for D03386



K00700-13-1
20" brush set for K00700-13



K00700-11-1
14" scalloped felt blade for K00700-11



DYNAMO

CANISTER VACUUM SERIES

6W/9W

The Dynamo Canister is a go-anywhere, do-anything vacuum with revolutionary features that take practicality to a new level. Need HEPA filtration? You got it! Need the noise level to be so quiet workers can make phone calls without being disturbed? You got it! Want one vacuum

for multiple jobs? You got it! Each model has its own unique features with versatility and ease at the core. Both vacuums incorporate a unique, color-coded filtration system that makes it simple to change from high filtration to HEPA or even to ULPA depending on the job.

SPECIFICATIONS	6W/9W
Capacity	6/9 quarts
Motor	1050/1200 watts
CFM	105
Water Lift	100 inches
Electrical Draw	9/10.5 amps
Noise Level	62/59 decibels
Filtration	High/HEPA/ULPA
Power Cord	50 ft. detachable
Hose	8.5 ft.
Wheels	3", non-marking
Casters	2", non-marking
Switch guard	Yes
Tool kit	7-piece included
Tool Diameter	1.25 inches
Ship Dimensions	22.5"H x 16"L x 16"W
Weight	14/14.5 lbs.
Shipping Weight w/tools	23.5/24.5 lbs.
Safety Approval	UL/CSA

OPTIONAL ACCESSORIES

L13126	Paper filter bags, 6W, 10-pack
L13127	Paper filter bags, 9W, 10-pack
F7401680	Standard basket filter (9W only)
F7401681	Red HEPA basket filter (9W only)
F7401682	Blue ULPA basket filter (9W only)
F7700120	Standard cassette filter
F7700121	Red HEPA cassette filter
F7700122	Blue ULPA cassette filter

MODELS

6W	6-quart Dynamo with high filtration
9W	9-quart Dynamo with high filtration

WARRANTY

1 year on parts and labor



6W



9W

We recommend the 6-quart Dynamo for your everyday cleaning needs, providing durability and economy over the long haul. The 6W comes with a lifetime internal filter, which results in a dramatic reduction in long-term costs.

With its whisper-quiet decibel rating and remarkable filtration system, the 9W is the professional choice for use in healthcare environments and busy call centers. It features a double system of color-coded filters that give you the option of true high filtration, HEPA or ULPA filtration. An EDIC exclusive feature on the 9W allows you to switch the noise level down to a minimum, making it possible to vacuum even while employees use the phone.

The Dynamo canister vacuum series delivers total ease of operation and maintenance. A special indicator light lets you know immediately if the cord or the outlet is defective. The 50-foot power cord is detachable and the motor slides out for quick repairs. Filters can be swapped out in seconds to meet individual job requirements. Each unit comes complete with a standard 3-stage filter set and a 7-piece tool kit.



Easy motor access for quick repairs
Lifetime internal filter on 6W



7-piece tool kit

DYNAMO

CANISTER VACUUM SERIES

6W/9W FEATURES

- Units can be turned on their side with the hose facing up for cleaning hard-to-reach places.
- Unique indicator light lets you know if the power cord or the outlet is defective for easy troubleshooting.
- Telescoping wand makes it easy to clean high ceilings and walls.
- Switch guard protects the unit from foot operation.
- Removable filters make it easy to switch from high filtration to HEPA or ULPA depending on the job.
- Motor slides out and power cord is detachable for inexpensive, on-the-spot repairs.
- Exclusive lifetime internal filter on the 6W dramatically reduces long-term costs.
- Super low decibel rating on the 9W (59 decibels) plus exclusive noise reduction switch for cleaning during regular work hours, even if someone is on the phone.
- Special modular design with weight centered in the middle prevents unit from tipping over.

FILTRATION SYSTEM

Our unique 3-stage filter system is designed for complete flexibility, allowing you to choose the level of filtration to meet individual job requirements. The system includes a paper dust bag, the internal filter and a cartridge blow out filter.

- High Filtration—99% of all dust particles up to 3 microns including sand, dust mites, pollen, mite feces.
- HEPA Filtration—99.997% filtration at .3 microns including all of the above plus red blood cells, bacteria, mite feces dust, yeasts and fungi, tobacco smoke, virus
- ULPA Filtration—99.999% filtration at .1 microns for maximum cleanliness including all of the above plus E. Coli and Staph bacteria.

PAPER FILTERS

Our paper vacuum bags are more than a dust container. They are a vital part of the filtration system. The paper filter can be sealed completely before removing for a truly clean air system.



9W standard filter set



6W standard filter set

DYNAMO WET/DRY VACUUM SERIES



5W/8W

The new Dynamo series of wet/dry vacuums combines a host of impressive features including whisper quiet operation and incredible suction power—at a price that flattens the competition. The 5 and 8-gallon models are perfect for small spills and pickups without the need to drag out more cumbersome equipment. These models are compact for easy transport and storage yet powerful enough for heavy-duty commercial settings. A special noise reduction design means you can work anywhere, anytime without causing a disturbance. An optional HEPA filter is available with both models for three-stage filtration. Choice of stainless steel or polyethylene housing.



SPECIFICATIONS	
Housing	Stainless steel or polyethylene
Capacity	5/8 gallon
Motor	100w, 2-stage, 1.5 HP
CFM	104
Water Lift	86 inches
Power Cord	33 ft.
Noise Level	60dB
Wheels	3" casters
Dolly	Polyethylene
Tool Kit	8-piece/8-piece deluxe
Filter	Cloth
Paper Filter	Optional
HEPA Filter	Optional
Hose	15 ft w/1.5" swivel connector
Dimensions	23"H x 16"L x 16"W 30"H x 16"L x 16"W
Weight	20/21 lbs.
Ship Weight w/tools	32/38 lbs.
Ship Dimensions w/tools	25"H x 17.5"L x 17.5"W 32"H x 17.5"L x 17.5"W
Electrical Draw	13 amps

FEATURES

- 60dB for whisper quiet operation.
- Equipped with a dolly cart for greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum airflow.
- Paper filter bags available plus optional HEPA filters.
- 2-stage motor with 86-inch lift provides powerful suction.
- Two-piece metal wand along with full 1½" accessory kit included.
- 8' swivel hose includes connection system for easy handling and operation.

OPTIONAL ACCESSORY

L11824 Paper filter bag

MODELS

All models available with optional HEPA filter—Add "H" to model number (5WSH, etc.)

5W	5-gallon poly (with 8-piece tool kit)
5WS	5-gallon stainless steel (with 8-piece tool kit)
8W	8-gallon poly (with Deluxe 8-piece tool kit)
8WS	8-gallon stainless steel (with Deluxe 8-piece tool kit)



8-piece tool kit



Deluxe 8-piece tool kit

WARRANTY 1 year on housing,
1 year on parts and labor

DYNAMO WET/DRY VACUUM SERIES



12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



Front-mount squeegee for removing large volumes of water fast!



Tip 'N' Pour on 20-gallon model for easy water disposal.

FEATURES

- 63dB for whisper quiet operation.
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum air flow.
- Paper filter bags available on both models plus optional HEPA filters on 12W.
- Powerful 1600-watt dual vac motors on 20W for ultimate suction.
- Two-piece metal wand along with full 1½" accessory kit included.
- 8' hose includes full 1.5" swivel connection system for easy handling and operation.
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon.

OPTIONAL ACCESSORIES

335AC/336AC Front-mount squeegee assembly
L11824-1 Paper filter bag



335AC (24")



336AC (24")

MODELS

Optional HEPA filter available on 12-gallon models—add "H" to model number (12WH, 12WSH)

12W	12-gallon poly (with 8-piece deluxe tool kit)
12WS	12-gallon stainless steel (with 8-piece deluxe tool kit)
20W	20-gallon poly (with 8-piece deluxe tool kit)
20WS	20-gallon stainless steel (with 8-piece deluxe tool kit)

SPECIFICATIONS

12W/20W	
Housing	Stainless steel or polyethylene
Capacity	12/20 gallon
Motor	1200w, single vac, 1.9 HP 1600w, dual vac, 2 HP
CFM	114/192
Water Lift	100/86 inches
Power Cord	33 ft.
Noise Level	63dB
Casters	3 inches
Wheels	6 inches
Dolly	Polyethylene
Tool Kit	8-piece deluxe
Filter	Washable cloth
Paper Filter	Optional
HEPA Filter	Optional on 12W
Hose	15 ft w/1.5" swivel connector
Dimensions	33.5"H x 20"L x 19"W 39"H x 26"L x 22"W
Weight	30/48 lbs.
Ship Weight w/tools	50/67 lbs.
Ship Dimensions w/tools	34.5"H x 21"L x 21"W 39"H x 26"L x 22"W
Electrical Draw	13 amps

WARRANTY

1 year on housing, 1 year on parts/labor



RELIANT DUAL-MOTOR VACUUM

This powerful upright vacuum is designed with a dazzling list of features to take cleaning to a new level. The dual motors and high filtration filter combine to handle tough commercial work environments. An onboard tool kit with stretch hose and telescopic wand allows the operator to easily clean those typically out-of-reach places like ceilings and baseboards. The brush housing has a super low profile that makes it a piece of cake to clean under desks and other obstacles, plus there's a four-position brush height adjustment to handle any kind of carpet. And that's only the beginning. All the major parts of the Reliant can be taken apart without tools for easy repairs, and it has a detachable power cord with plugs on both ends for easy replacement. The Reliant comes complete with onboard tools and is available with a 14 or 18-inch cleaning width.



Reliant comes standard with 4-piece tool kit



Lighted indicator switch let's you know immediately if the power cord is defective



All major parts detach easily for quick repairs

SPECIFICATIONS

Cleaning Path	14/18 inches
Decibels	67/70
Vacuum Motor	105 CFM
Capacity	6 liters (6.4 quarts)
Water Lift	78
Tool Kit	Included
Tool Diameter	1.25"
Housing	High impact ABS
Power Cord	50 ft. detachable
Electronic Indicators	Bag full, belt breakage, brush roll blockage, brush pressure, airway blockage
Operation Control	All metal, dual on-off
Dimensions	47.5"H x 10"L (base) x 14"W
Handle Up	47.5"H x 10"L (base) x 18"W
Weight	20/22 lbs.
Shipping Weight	27/29 lbs.
Ship Dimensions	8.75"H x 37.5"L x 15.75"W 8.75"H x 37.5"L x 20.25"W
Electrical Draw	10 amps

WARRANTY

1 year on housing, 1 year on parts and labor

FEATURES

- Stretch hose has identical cuffs allowing you to change direction to clean out any debris stuck in hose.
- Detachable power cord with plugs on both ends.
- Lighted indicator switch that let's you know if a cord is defective.
- Full-bag sensor for motor protection.
- Filter bag compartment only closes when bag is in place, to protect motor from running without bag.
- Powerful suction combines with wide cleaning width for cleaning large areas quickly.
- Rotating cord hook means no need to unwind cord.

MODELS

1400R	14" Reliant w/tool kit
1800R	18" Reliant w/tool kit

PILOT AUTOMATIC SCRUBBER

Our amazing new automatic scrubber is ideal for deep cleaning of grouted pavers and hard floors. The Pilot gives you all the performance of larger, more expensive equipment but in a lightweight, compact size that's super easy to operate and store. At only 30 lbs, it's simple to transport to any job site. The Pilot's versatility makes it perfect for routine maintenance or periodic deep cleaning, especially in tight, obstructed areas such as restrooms or locker rooms.

The knockout punch of this machine is its rotary brushes. It features a pair of high-speed counter-rotating circular nylon brushes with two levels of bristles that deep-clean grout better than any cylindrical method. The flexing action of the flared nylon bristles scrubs the most difficult-to-clean mosaic tile and stone grouted floors with truly amazing results. Superior urethane squeegee blades allow one-pass cleaning or can be raised to double scrub for restorative cleaning.



The Pilot is the perfect green machine where less is more! It does not require harsh detergents that can damage sensitive stone and grout surfaces. It uses less solution, works in tandem with green chemicals and with its single motor, draws less amps.

EDIC's Pilot is user friendly and simple to operate and maintain.

The recovery bucket, tank, brushes, squeegee and power cord can be taken apart in seconds to switch to other accessories. Optional nylo-grit brushes and pad holders can be attached for surface polishing and stripping of any hard surface.

FEATURES

- Unique dual counter-spinning rotary brushes (not cylindrical) with two levels of bristles for a deep down clean that outperforms the competition.
- Unbeatable performance in a compact size—only 30 lbs!
- Does the job of heavier, more expensive equipment but can be stored in a closet and is super easy to maneuver. It even fits on a maid's cart.
- Low carbon footprint—cleans with green chemicals, uses less solution and draws less power.
- Truly automatic—simply lower the handle to activate—no on/off switch!
- Comes complete with a high-quality squeegee that leaves floors clean and completely dry.
- A total cleaning system that promotes clean and sanitized stone, tile and hard floors.

OPTIONAL ACCESSORIES

TU1501	Standard brush set (2)
TU1505	Pad holder (2)
TU1501T	Nylo-grit brushes (2)
TU1700PU	Squeegee assembly
F13130	Black stripping pad, 6.5"
F13131	Green scrub pad, 6.5"
F13132	White buffing pad, 6.5"

MODEL

1400SC	Pilot automatic scrubber
--------	--------------------------

WARRANTY

1 year on housing,
1 year on parts and labor

SPECIFICATIONS

Brush Motor	120V, 700 watts
Vacuum Motor	Triple fan system
Cleaning Width	14 inches
Cleaning Capacity	4,200 sq. ft. per hour
Squeegee	16 inches
Brushes (2)	Circular/nylon bristles
Brush Speed	550 RPM
Brush Pressure	18 lbs.
Solution Tank	1 gallon
Recovery Tank	1 gallon
Wheels (2)	4", non-marking
Power Cord	25 ft. detachable, 3 ft. pigtail
Dimensions (Upright)	43.75"H x 20"L x 16"W
Weight	30 lbs.
Shipping Weight	33 lbs.
Ship Dimensions	16"H x 23"L x 16.5"W
Electrical Draw	4.5 amps, 115V

NEW COMPANION PRODUCT!

Easy Mop bucketless cleaning system—cleans walls, ceilings, and other hard-to-reach places with no spills, no mess. A pressurized all-inclusive reservoir cleans up to 3,200 sq. ft. per filling. See page 14 for additional details.



SATURN HIGH SPEED

BURNISHERS

Available in traditional style or new 17" compact design with fold-down handle!

The Saturn burnishers make it simple to bring a smooth, super high-gloss luster to any hard floor surface. Watching these machines in action will make anyone a believer! The perfect combination of weight and high speed produces a spectacular finish in record time. Brand new to the line-up is a 17" 2000 RPM model with a fold-down handle and a special compressed design for the ultimate in portability and storage plus greater maneuverability in tight spaces. Our traditional 20" models are available in 1500 or



2000 RPM and both the traditional and fold-down models are designed with an all-metal construction including stainless steel brush cover, making them as durable as they are dependable. All models come complete with flex-lock pad driver and high-speed pad.

SPECIFICATIONS

Brush Speed	17 – 2000 RPM 20 – 1500/2000RPM
Pad Diameter	17"/20"
Motor	1.5 HP
Gear Box	Multi-V belt
Power Cord	75 ft. yellow
Cord Strain Relief	Heavy-duty steel with spring guard
Brush Cover	Stainless steel/Powder Coated
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control switch, left or right hand	Dual trigger on-off safety
Weight	84/96 lbs.
Shipping Weight	96/108 lbs.
Ship Dimensions	54"H x 31"L x 22.5"W
Electrical Draw	11.1 amps

WARRANTY

Lifetime on stainless steel brush cover, 3 years on parts and labor

FEATURES

- Multi-V belt drive reduces load on bearings and extends motor life.
- Smooth operation for reduced operator fatigue.
- Unique lockout system prevents accidental start-ups and allows machine to be activated with both hands on the grips.
- All-metal chassis plus stainless steel cover assure long life and dependability.
- New 17-inch model folds-down for super easy storage and transportation.
- Cool running 1.5 HP high efficiency motor.
- Rear transport wheels for easy turning and increased mobility.
- Easy motor access for quick servicing.
- 75-foot power cord.

MODELS

20HS1500-SS	20" – 1500 RPM high speed
20HS2000-SS	20" – 2000 RPM high speed
17HS2000F-SS	17" – 2000 RPM fold-down

All Saturn floor machines are now available with an optional black powder-coated brush cover. All the same great features as our stainless steel models but at a more competitive price.

SATURN DUAL SPEED FLOOR MACHINES

Get more bang for your buck with one machine that does the work of two! Strip, scrub, spray-buff, polish, shampoo, bonnet clean... you name it, this machine does it all! Designed for professional floor care maintenance, the dual speed floor machines from EDIC are equipped with long-wearing steel triple planetary gearboxes, providing heavy duty yet quiet operation. Safety comes first with the exclusive "lockout" lever that allows the motor to be activated while keeping both hands on the handle grips. Use the lower speed to scrub and strip then just flip the switch to high speed and polish floors to a glossy luster. Operation is smooth and easy in even the toughest commercial settings.

FEATURES

- All-metal construction with stainless steel brush cover, heavy duty chrome-plated steel handle and 66 frame motor assure durability.
- All steel triple planetary gearbox provides heavy duty yet quiet operation.
- Turn a 17-inch machine into a 20" machine, or vice versa, by removing just four bolts.
- Dual trigger negative pressure switch allows operator to run with either hand.
- Safe two-handed start-up with exclusive "lockout lever".
- Cool running 1.5 HP high efficiency motor.
- 50-foot power cord.
- Non-marking PVC bumper prevents marks on walls and furniture.
- Available in 17" or 20" diameter.

OPTIONAL ACCESSORIES

- 1601/1901BR Pad driver, with molded-in clutch plate
 - 1603/1903BR Two-piece pad driver
- For a complete listing of pad drivers, brushes and accessories, see page 37

MODELS

17DS3-SS	17" – 180/320 RPM dual speed
20DS3-SS	20" – 180/320 RPM dual speed

All Saturn floor machines are now available with an optional black powder-coated brush cover. All the same great features as our stainless steel models but at a more competitive price.

WARRANTY

Lifetime on stainless steel brush cover, 3 years on parts and labor



SPECIFICATIONS

Brush Speed	Dual 180/320 RPM
Diameter	17" or 20"
Motor	1.5 HP/66 frame
Gear Box	Steel triple planetary
Power Cord	50 ft. yellow
Cord Strain Relief	Heavy-duty steel with spring guard
Brush Cover	Stainless steel/Powder Coated
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control	All metal, dual on-off
Weight	86/92 lbs.
Shipping Weight	106/112 lbs.
Ship Dimensions	48"H x 26.5"L x 23"W
Electrical Draw	14.4 amps

SATURN

LOW SPEED FLOOR MACHINES

No job is too tough for this rugged series of floor machines from EDIC. With its all-metal construction and steel planetary gear boxes, the Saturn can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The low speed models are built specifically to handle the stress associated with stripping and scrubbing hard floor surfaces as well as bonnet cleaning and shampooing carpets. Features like the quick and easy handle adjustment, anti-fatigue design, and the exclusive "lockout lever" for safe two-handed start up make this machine operator friendly and a winner in every commercial setting. Available in six different models, there is a perfect low speed Saturn for any size job.

All Saturn floor machines are now available with an optional black powder-coated brush cover. All the same great features as our stainless steel models but at a more competitive price.



SPECIFICATIONS

Brush Speed	175 RPM
Pad Diameter	13", 17" or 20"
Motor	13" - 1 HP 17" - 1 HP/1.5 HP 20" - 1 HP/1.5 HP
Gear Box	1.0 HP—dual planetary 1.5 HP—triple planetary
Power Cord	50 ft. yellow
Brush Cover	Stainless steel/Powder coated
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control	All metal, dual on-off
Weight	13" (1 HP) - 91 lbs. 17" (1/1.5 HP) - 95 lbs. 20" (1/1.5 HP) - 98 lbs.
Shipping Weight	13" - 101 lbs. 17" - 112 lbs. 20" - 115 lbs.
Ship Dimensions	48"H x 26.5"L x 23"W
Electrical Draw	13" - 13.2 amps 17" - 13.2/14.4 amps 20" - 14.4/14.4 amps

FEATURES

- All-metal construction assures durability.
- All-steel triple planetary gearbox provides heavy duty yet quiet operation.
- Dual-trigger negative pressure switch allows operator to run with either hand.
- Turn a 13-inch machine into a 20" or any other combination, by removing just four bolts.
- Exclusive "lockout lever" is designed so operator can safely activate motor with both hands on the grips.
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment.
- Non-marking PVC bumper prevents marks on walls and furniture.

OPTIONAL ACCESSORIES

390AC	Shampoo tank for carpets
1601BR/1901BR	Pad driver with molded-in clutch plate
1603BR/1903BR	Two-piece pad driver

For a complete listing of pad drivers, brushes and accessories, see page 37

MODELS All Models 175 RPM

Stainless Steel	
13LS2-SS	13" 1 HP
17LS2-SS/17LS3-SS	17" 1 HP/17" 1.5 HP
20LS2-SS/20LS3-SS	20" 1 HP/20" 1.5 HP


WARRANTY

Lifetime on stainless steel brush cover, 3 years on parts and labor

ACCESSORIES

PAD DRIVERS

1202BR	12" block, 13" machine
1601BR	16" block, 17" machine molded-in clutch plate
1603BR	16" block, 17" machine
1901BR	19" block, 20" machine molded-in clutch plate
1903BR	19" block, 20" machine
1704BR	Flex-lock, 17" hi-speed
2004BR	Flex-lock, 20" hi-speed
F11988	High speed pad



1601BR



2004BR

BRUSHES

1105BR	Nylon 11" block, 13" machine
1505BR	Nylon 15" block, 17" machine
1805BR	Nylon 18" block, 20" machine
1106BR	Poly 11" block, 13" machine
1506BR	Poly 15" block, 17" machine
1806BR	Poly 18" block, 20" machine
1107BR*	Grit 11" block, 13" machine
1507BR*	Grit 15" block, 17" machine
1807BR*	Grit 18" block, 20" machine

*Grit Brushes are available in the following 4 grades:
#1 Heavy Grit—Equivalent to high pro stripper pad
#2 Medium—Equivalent to black or brown pad
#3 Lite—Equivalent to green or blue pad
#4 Extra Lite—Equivalent to red pad



1505BR



1106BR

SHAMPOO TANK

390AC	Shampoo tank 4-gallon capacity with brass valve
-------	--



1506BR



1807BR



F11988



13" Saturn with shampoo tank

BRASS FITTINGS

Close Nipple
 A00055 $\frac{1}{8}$ MP
 A00111 $\frac{1}{4}$ MP


 A00111


Nipple
 A00160 $\frac{1}{4}$ x 2
 A00163 $\frac{1}{4}$ x 3

 A00160

Hex Reducing Nipple
 A00119 $\frac{3}{8}$ MP x $\frac{1}{4}$ MP
 A00114B $\frac{1}{4}$ MP x $\frac{3}{8}$ MP

 A00114B

Bushing
 A00168-18 $\frac{1}{4}$ MP x $\frac{1}{8}$ FP
 A00168 $\frac{3}{8}$ MP x $\frac{1}{4}$ FP
 A00168-2 $\frac{1}{2}$ MP x $\frac{3}{8}$ FP

 A00168


Barb Fitting w/Male Pipe
 A00076 $\frac{1}{4}$ BARB x $\frac{1}{8}$ MP
 A00139 $\frac{1}{4}$ BARB x $\frac{1}{4}$ MP
 A00077 $\frac{3}{8}$ BARB x $\frac{1}{8}$ MP
 A00060 $\frac{3}{8}$ BARB x $\frac{1}{4}$ MP
 A00062 $\frac{3}{8}$ BARB x $\frac{3}{8}$ MP
 A90004 $\frac{1}{2}$ BARB x $\frac{1}{4}$ MP

 A00060


Barb Fitting w/Female Pipe
 A00066 $\frac{1}{4}$ BARB x $\frac{1}{8}$ FP
 A00067 $\frac{1}{4}$ BARB x $\frac{1}{4}$ FP
 A10749 $\frac{1}{4}$ BARB x $\frac{3}{8}$ FP
 A00061 $\frac{3}{8}$ BARB x $\frac{1}{4}$ FP
 A00072 $\frac{3}{8}$ BARB x $\frac{3}{8}$ FP

 A00061

Adapter—Male Pipe X Female Pipe
 A00172 $\frac{1}{8}$ MP x $\frac{1}{8}$ FP
 A00122 $\frac{1}{8}$ MP x $\frac{1}{4}$ FP
 A00121 $\frac{1}{4}$ MP x $\frac{1}{4}$ FP


 A00121

45° Elbow Street
 A00053-18 $\frac{1}{8}$ MP x $\frac{1}{8}$ FP
 A00053 $\frac{1}{4}$ MP x $\frac{1}{4}$ FP
 A00053-38 $\frac{3}{8}$ MP x $\frac{3}{8}$ FP

 A00053

90° Elbow Female
 A00073 $\frac{1}{8}$ FP x $\frac{1}{8}$ FP
 A00154 $\frac{1}{4}$ FP x $\frac{1}{4}$ FP

 A00154


90° Elbow Street
 A00116 $\frac{1}{8}$ MP x $\frac{1}{8}$ FP
 A00052 $\frac{1}{4}$ MP x $\frac{1}{4}$ FP

 A00052

Male Branch Tee
 A00152 $\frac{1}{8}$ MP x $\frac{1}{8}$ FP x $\frac{1}{8}$ FP
 A00075 $\frac{1}{4}$ MP x $\frac{1}{4}$ FP x $\frac{1}{4}$ FP

 A00075

Female Tee
 A00161 $\frac{1}{4}$ FP x $\frac{1}{4}$ FP x $\frac{1}{4}$ FP

 A000161

Street Tee
 A00135 $\frac{1}{8}$ MP x $\frac{1}{8}$ FP x $\frac{1}{8}$ FP
 A11589 $\frac{1}{4}$ MP x $\frac{1}{4}$ FP x $\frac{1}{4}$ FP

 A00135

Teflon Tape
 S00883 $\frac{1}{2}$ x 520

 S00883



SPRAY TIPS/QUICK DISCONNECTS

Brass Vee Jets 1/4" Male Pipe
 A00086 110° 11008
 A00086-1 110° 11004
 A00086-2 110° 11010
 A00086-3 110° 11003
 A00086-4 110° 110015
 A00086-5 110° 11006
 A00092-4 95° 9504
 A00092-8 95° 9508
 A00092 95° 9510
 A00093-2 80° 8004
 A00093-1 80° 8008
 A00093 80° 8010

 A00086

Brass Vee Jets 1/8" Male Pipe
 A00089-1 110° 11001
 A00089-2 110° 110015
 A00089 110° 11002
 A00089-6 110° 11006
 A00091 110° 11004
 A00091-1 110° 11008
 A00091-2 110° 11003
 A00095-8 110° 11010
 A00087 95° 9505
 A00089-5 95° 9504
 A00089-3 95° 9508
 A00089-7 95° 950050

 A00089

Tee Jet Tip Only
 A00094A-1 110° 11010
 A00094A-13 110° 11004
 A00094A-15 110° 11006
 A00094A-7 110° 11008
 A00094A-14 95° 9510
 A00094A 80° 8002
 A00094A-2 80° 8001
 A00094A-5 80° 8010

 A00094A

Tee Jet Cap
 A00094D Tee jet cap

 A00094D

Tee Jet Body
 A00094C Tee jet body $\frac{1}{4}$ M

 A00094C

Tee Jet Strainer/Checkvalve
 A00094B Tee jet w/ strainer & checkvalve

 A00094B

1/4" Flood Jet
 A00095-9 $\frac{1}{4}$ MP K2

 A00095-9

1/8" Flood Jet
 A00095-4 $\frac{1}{8}$ MP K1.5
 A00095-5 $\frac{1}{8}$ MP K2
 A00095-6 $\frac{1}{8}$ K 3
 A00095-7 $\frac{1}{8}$ K 5

 A00095-5

Standard Male Quick Connect Coupling.
 A00107 $\frac{1}{8}$ male x $\frac{1}{8}$ FP
 A00104 $\frac{1}{4}$ male x $\frac{1}{4}$ FP
 A00105 $\frac{3}{8}$ male x $\frac{3}{8}$ FP

 A00104

Standard Female Quick Connect Coupling
 A00108 $\frac{1}{8}$ female x $\frac{1}{8}$ FP
 A00102 $\frac{1}{4}$ female x $\frac{1}{4}$ FP
 A00101 $\frac{3}{8}$ female x $\frac{3}{8}$ FP

 A00102

Special Male Quick Disconnect
 A00157 $\frac{1}{8}$ male x $\frac{1}{4}$ MP
 A00103-1 $\frac{1}{4}$ male x $\frac{1}{4}$ MP

 A00103-1

Special Female Quick Disconnect
 A00109 $\frac{1}{8}$ female x $\frac{1}{8}$ FP

 A00109



VALVES, CLAMPS, CORDS, STRAIN RELIEFS, SWITCHES, MISC. EXTRACTOR PARTS



Valves
 G00525 Valve only
 pp to 100 psi
 00525A Valve w/lever
 D00352-1 Lever only



G00526-1 Valve, brass,
 Glidemaster,
 up to 1000 psi
 D03424 Lever,
 Glidemaster



D00364 Valve clamp
 D00364-1 Lever,
 aluminum
 D03424



Wand Handle Grips
 81033AC Grip handle,
 stainless

81033AC



**Drain Valve/
 Strainers/Hose
 Adapter**
 K00711 Drain valve
 black
 K00710 Black elbow
 E00427 Gasket 2"
 OD x 1/8"

K00711
 K00710
 E00427



D00373 Inlet filter 1/4
 NPT
 K00709 Inline strainer
 w/bowl

D00373



K00709-1 Screen, inline
 strainer
 K00709-3 Gasket, inline
 strainer

K00709



K00665-1

K00709-3



**Hose Clamps,
 Stainless**
 J00640 7/32 - 5/8
 J00651 1/4 - 5/8
 J11508 7/16 - 7/8
 J90002 9/16 - 1 1/16
 J00639 1 5/8 - 2 7/16
 J00642 2 9/16 - 3 7/16

J90002



B11199 Plastic
 w/locknut
 B11504 Metal
 w/locknut



B11504A



Switches/Rectifier
 B00213 Toggle, SPST
 B00229 Toggle, DPST
 B02211-1 Green rocker
 B11465 Push button,
 DPST
 B02229 25 amp
 bridge rectifier
 M00843-1 6 amp
 bridge rectifier

B00213



B02211-1



B11465



B02229



M00843-1



B00188



Casters
 G00532 2" swivel, 3/8" stud
 G00531 3" swivel, plate
 G03518 4" swivel, plate

G00532



G00531



G11943

Wheels
 G11943
 5" dia, 1/2" bore,
 hard rubber
 G11765
 7" dia, 1/2" bore,
 non-marking



G10458

G10458
 7" dia, 1/3" bore,
 non-marking



G11767

G11767
 10" dia, 1/2" bore,
 non-marking



B11487

Power Cords
 B10719 power cord, 25'
 yellow, 16/3,
 SJTW
 B11487 power cord, 50',
 yellow, 14/3,
 STW, 600V
 jacket, floor
 machines

B11900 power cord, 75',
 yellow, 12/3
 SJTW, floor
 machines

B11769 extension cord,
 50', yellow,
 12/3, STW
 with twist lock

B11944 extension cord,
 50', yellow,
 16/3, SJTW for
 Atlas Backpack

EDIC... ON THE MOVE

Our company was founded in 1975 with the goal of designing and developing the most innovative, productive and durable carpet care equipment and cleaning systems on the market. That vision holds true today as EDIC continues to expand with new product lines, patented innovations, accessories, and the support of a knowledgeable staff trained first and foremost in customer service. We thank you for your interest in our products and look forward to a successful new or continuing business relationship with you.

For further information or to locate your nearest EDIC authorized distributor, contact:

EDIC
1753 Blake Avenue
Los Angeles, CA 90031-1006
USA

Telephone: (323) 660-1635
Toll-free: (800) 338-3342
Fax: (323) 667-0144
Email: sales@edic-usa.com
Website: www.edic-usa.com

RENTAL PROGRAM

Whether you want to get your own private carpet care rental business up and running or you're looking for a good way to boost the sales of your existing business, the EDIC rental program makes it easy. Our complete rental package is perfect for janitor supply houses, vacuum dealerships, rental yards, hardware stores or any other business with walk-in traffic. We provide you with state-of-the-art rental equipment, professionally-formulated cleaning solutions, instructions for home use, and advertising and marketing materials. If you're just starting out in the carpet care business, this is perfect for consignment to stores or delivery to homes. For the retail business owner, just set up the rental package in your store or warehouse and watch your sales grow. At the heart of the program is EDIC's amazing FiveStar extractor, offering powerful cleaning capabilities in a compact unit that's light enough for anyone to handle. Choose from our complete package or build your own package to best suit your needs.

9501R 2-Unit Package

- 2 FiveStar carpet cleaners
- 2 upholstery kits
- 1 rental display rack
- 100 Instruction brochures
- 1 rental contract book (50 rents)
- 1 display rack header
- Start-up package of cleaning solutions which includes 1 case each of all chemicals listed below plus 2 additional cases of N12104 and 1 additional case of N12105

Build Your Own Package

Tell us what units you want, we'll design a customized rental package for you!

Supplies

- | | |
|-------|---------------------|
| 9020R | Rack Header |
| 9029R | Rental Display Rack |
| 9050R | Rental Receipt Book |

Premium Carpet Cleaner

- | | |
|--------|-------------------------|
| N12101 | Quarts, case of 12 |
| N12104 | Half gallons, case of 6 |
| N12105 | Gallons, case of 6 |

Additional Chemicals

- | | |
|--------|--|
| N12102 | Spot & Stain Remover, case of 12 |
| N12100 | Pet Stain & Odor Eliminator, case of 12 |
| N12099 | Defoamer, case of 12 |
| N12103 | Carpet Pre-Spotter, case of 12 spray bottles |



Spot Cleaner
available in quart-size
spray bottle set



Premium carpet cleaner: cases available
by the gallon, 1/2 gallon or quart

